




KING'S

The Logical Choice



King's Comfort	2
King's Ladies	6
King's Executive	7
King's PU-Rubber	10
King's EuroWhite	11
King's Army	12
Technical Information	15
Care Of Footwear	16



QUALITY - No Worries!

The KING'S range is renowned for its versatility, dependability and availability. However this predictability was not achieved by us standing still. Over the years KING'S have continually updated its design, found better materials and invested in new production machinery and technology.

This new KING'S catalogue announces a new greenfield production facility in Batam as well as a brand new range called the Comfort range - unmistakably KING'S, but super comfortable!

If you are an old customer, you will be pleased to know that your old favourites are still recognisable by their 3 digits; notably 800, 803, 805 and 701 - albeit they might look a little different and more modern.

But don't be tempted to rush and see how they look. In the later pages of this catalogue, read about the new features that make your favourite safety footwear even more comfortable.



KING'S production facility in Batam



King's Comfort

-  Sole resistant to oil and acids/alkalis
-  Antistatic
-  Extra light, slip-resistant polyurethane (PU) outsole
-  Extra wide-fitting carbon steel toecap (200 joules)
-  Pierce-resistant steel midsole insert
-  Extra wide 5-toe toecaps



Description

Colour: Black
 Size: 3-12
 Sole Construction: Single density polyurethane outsole

Upper Construction

Upper Material: Tango print leather upper
 Lining: Taibrelle lining
 Insole Board: Non-woven fibre insole board
 Insole: Extra thick full length EVA foam insole
 Special Feature: Extra wide 5-toe toecap

KWS800

KWS701

KWS803



KWD807

Description

Colour: Black

Size: 3-12

Sole Construction: Dual density polyurethane outsole

Upper Construction

Upper Material: Tango print leather upper

Lining: Taibrelle lining

Insole Board: Non-woven fibre insole board

Insole: Extra thick full length PU foam insole

Special Feature: Extra wide 5-toe toecap



KWD806



KWD706



Brown

Description

Size: 3-12

Sole Construction: Dual density polyurethane outsole

Upper Construction

Upper Material: Tango print leather upper

Lining: Taibrelle lining

Insole Board: Non-woven fibre insole board

Insole: Extra thick full length PU foam insole

Special Feature: Extra wide 5-toe toecap

KWD901K



Black

KWD901



Black

KWD912



Black



Orange

KWD805

KWD805C



Black

KWD804

Description

Size: 3-12

Sole Construction: Dual density polyurethane outsole

Upper Construction

Upper Material: Tango print leather upper

Lining: Taibrelle lining

Insole Board: Non-woven fibre insole board

Insole: Extra thick full length PU foam insole

Special Feature: Extra wide 5-toe toecap

King's Ladies



Sole resistant to oil and acids/alkalis



Extra light, slip-resistant polyurethane (PU) outsole



Antistatic



Carbon steel toecap - 200 joules (Optional)



Description

Colour: Black

Size: 2-8

Sole Construction: Dual density polyurethane outsole

Upper Construction

Upper Material: Tango print leather upper

Lining: Taibrelle lining

Insole Board: Non-woven fibre insole board

Insole: Full length PU foam insole

(This range is without steel midsole)

KL300X

Available as workshoe, KL300Z
(Without steel toecap)



KL200X

Available as workshoe, KL200Z
(Without steel toecap)



King's Executive



Antistatic



Extra light, slip-resistant polyurethane (PU) outsole



Sole resistant to oil and acids/alkalis



Carbon steel toecap - 200 joules (Optional)



Contoured EVA foam insole
- Full foam insole for uniform shoe
- Half foam insole for safety shoe



IN SMOOTH LEATHER

Executive Safety Shoes

KJ424SX

KJ404SX



Description

Colour: Black
 Size: 4-13
 Sole Construction: Single Density polyurethane outsole
 Steel toecap: Available (Optional)
 Steel Midsole: Not available
 (Available as uniform shoes without steel toecap
 - KJ404SZ, KJ424SZ, KJ484SZ)

Upper Construction

Upper Material: Smooth full grain leather upper
 Lining: Taibrelle lining
 Insole Board: Non-woven fibre insole board
 Insole: Full length EVA foam insole for uniform shoes
 & half length EVA foam insole for safety shoes

KJ484SX



IN SMOOTH LEATHER

Uniform Boots

Description

Colour: Black

Size: 4-13

Sole Construction: Single density polyurethane outsole

Steel Toecap: Not available

Steel Midsole : Not available

Upper Construction

Upper Material: Smooth full grain leather upper

Lining: Taibrelle lining

Insole Board: Non-woven fibre insole board

Insole: Full length EVA foam insole

KJ434SZ



KJ464SZ



KJ474SZ



Description

Colour: Black
Size: 4-13
Sole Construction: Single density polyurethane outsole
Steel Toecap: Not available (Optional)
Steel Midsole: Not available
(Available as safety shoes with steel toecap - KJ404X & KJ424X)

Upper Construction

Upper Material: Tango print leather upper
Lining: Taibrelle lining
Insole Board: Non-woven fibre insole board
Insole: Full length EVA foam insole for uniform shoes and half length EVA foam insole for safety shoes

IN PRINT LEATHER

Uniform Shoes



KJ404Z



KJ424Z



King's PU-Rubber



KP909KW



KP900KW



KP902KW



KP903KW



Featuring heat resistant Rubber Outsoles of up to 300°C



Sole resistant to oil and acids/alkalis



Carbon steel toecap (200 joules)



Pierce-resistant steel midsole insert

Description

Colour: Brown
 Size: 3-11
 Sole Construction: Polyurethane / rubber outsole

Upper Construction

Upper Material: Water Resistant Nubuck Leather Upper
 Lining: Taibrelle lining
 Insole Board: Non-woven fibre insole board
 Insole: Full length PU foam insole
 Special Feature: Heat resistant rubber outsole of up to 300 Degree Celsius





King's EuroWhite


Description

Colour: White
Size: 4 - 11 (37 to 46 exclude 39 and 45)
Sole Construction: Dual density polyurethane outsole

Upper Construction

Upper material: Printed leather
Lining: Textile lining
Insole board: Non-woven fibre insole board
Footbed: Half footbed
(This product is without steel midsole)

96702



Sole resistant to oil and acids/alkalis



Carbon steel toecap (200 joules)



Antistatic



Extra light, slip-resistant polyurethane (PU) outsole





King's Army

(Available in Black Printed Leather KC333Z)

Description

Colour: Black

Size: 4 - 14

Sole Construction:

Polyurethane/thermoplastic-polyurethane outsole

Sole Pattern: Panama

Height: 9 1/2

(Not available with steel toecap and steel midsole)

Upper Construction

Upper Material:

Water-resistant full grain leather upper

Lining:

Anti-bacteria breathable taibrelle lining
(non-woven melted fabric)

Insole:

Removable anti-bacteria nylex lining
full length PU foam insole

Other Features

- Steel shank
- Speedlace fastener allows full adjustability and quick release
- Zinc plating & varnish coating copper speedhook / brass eyelet lacing system
- Padded collar

KC333SZ



(Available in Black Water Resistant Full Grain Leather/Black Cordura KC666SZ)

KC666DUZ



Description

Colour: Beige desert storm

Size: 4 – 14

Sole Construction:

Polyurethane/thermoplastic-polyurethane outsole

Sole Pattern: Panama

Height: 9 1/2

(Not available with steel toecap and steel midsole)

Upper Construction

Upper Material:

Suede leather/ Cordura upper

Lining:

Anti-bacteria breathable taibrelle lining (non-woven melted fabric)

Insole:

Removable anti-bacteria nylax lining full length PU foam insole

Other Features

- Steel shank
- Speedlace fastener allows full adjustability and quick release
- Beige paint coating brass eyelet lacing system
- Plastic injection zippers
- Padded collar





(Available in Beige Desert Storm Suede/Desert Tan Codura KC999DUZ)
(Available in Black Water Resistant Full Grain Leather/Black Codura KC999SZ)

KC999Z

Description

Colour: Black
Size: 4 – 14
Sole Construction: Polyurethane/thermoplastic-polyurethane outsole
Sole Pattern: Panama
Height: 9¹/₂
(Not available with steel toecap and steel midsole)

Upper Construction

Upper Material:
Printed leather upper/Nylon mesh 1150 Denier Lining with PU/WP coating
Lining:
Anti-bacteria breathable taibrelle lining (non-woven melted fabric)
Insole:
Removable anti-bacteria nylex lining full length PU foam insole

Other Features

- Steel shank
- Speedlace fastener allows full adjustability and quick release
- Zinc plating & varnish coating copper speedhook/brass eyelet lacing system
- Padded collar




Technical Information

Extra Wide 5-Toe Toecap Provides Maximum Comfort For Your Toes



KING'S spacious 5-toe toecap provides maximum comfort for your toes



Conventional toecaps are narrower and tend to squash your toes



(Available in King's Comfort only)

Extra Thick Contoured Pu Insole For Enhanced Cushioning

(Available in King's Comfort only)

PU Foam Insole Cushion

The memory in PU resets its spongy property after every use



Contoured moulding delivers support and impact cushioning where they are most needed



Ergonomically designed to provide maximum support

PUshion has a specially moulded cushioned arch support and a cupped heel for heel support.

Remains spongy and last longer

PUshion has memory that resets its spongy property unlike normal EVA insole.

Anti-static provision

The antistatic thread sewn into the PUshion insole provides conductivity to preserve the anti-static property of the anti-static footwear.



Superior shock absorption properties

PUshion significantly reduces stress of impact on the heel and the forefoot as compared to normal EVA insole.

Keeps your feet fresher all day long

PUshion is lined with breathable and moisture transmitting top lining that contains anti-microbial additives which reduces foot odor.

Massages your heel

PUshion has specially designed "massage studs" to reduce fatigue on heel.

(Available in King's Comfort only)



Scuff Caps Keep The Toe Of Your Boots Looking Great

(Available in King's Comfort only)

Care Of Footwear

Boot Care

Inspect regularly for damage

King's Safety Footwear are designed and made to withstand the toughest work conditions. However, regular inspection on safety footwear is necessary to ensure that the safety footwear is in the perfect condition to serve its purpose.

Rinse with water after exposure to chemicals or cements

Regular cleaning and conditioning protects safety footwear from harsh weather and worksite conditions. For example, cements tend to dry up leather to cause cracks in the leather upper. A rinse at the end of the workday will enhance the durability of the footwear.

Always air and dry footwear after each day use

Remove the insoles. Remove laces or open fully. Place in a dry area. If water went over the top of your footwear or if they contain excess moisture inside, pat dry with paper towels or other absorbent material, then leave it inside the boot or shoe for 30 minutes. Remove and air dry as described above. Store footwear in a cool, dry place. Anti static properties is greatly reduced by wet conditions and with wear. Rotate shoes for drying and airing.



SHOE SIZE CORRELATION (MEN)

English	3	4	5	6	7	8	9	10	11	12
French	36	37	38	39/40	41	42	43	44/45	46	47

SHOE SIZE CORRELATION (LADIES)

English	2	3	4	5	6	7	8
French	34	35	36	37	38	39	40



Our Offices

Singapore

King's Shoe Manufacturing Pte Ltd
Address: 22 Defu Lane 1, Singapore 539493
Tel: +65 6383-8787
Fax: +65 6285-6675

Australia

King's Safetywear (Australia) Pty Ltd
Address: Unit 9, 5 Salisbury Road,
Castle Hill, NSW 2153, Australia
Tel: +1300 364 010, +612 9899 4804
Fax: +612 9899 8525

Malaysia

Kingshoe Manufacturing Sdn Bhd
(Johor Bahru Office)
Address: No.1, Jalan Permas 9/14,
Bandar Baru Permas Jaya, 81750 Johor Bahru,
Johor, Malaysia
Tel: +607 388-8787
Fax: +607 387-5739

Kingshoe Manufacturing Sdn Bhd
(Kuala Lumpur Office)
Address: No.22 & 24, Jalan 6/34B,
Off Jalan Kepong,
Sri Edaran Light Industrial Park,
52100 Kuala Lumpur, Malaysia
Tel: +603 6252 8787
Fax: +603 6253 1611

China

King's Safetywear (Shanghai) Co., Ltd
Address: Unit G 10/F Lv Di, Ke Chuang Building
201 Ning Xia Road, Shanghai
China 200063
Tel: +86-21-5236-1288
Fax: +86-21-5236-3362

Middle East

King's Shoe Manufacturing Pte Ltd
(Representative Office)
Emaar Business Park
Suite 632, Building No.2
Shaikh Zayed Road, P.O. Box 261622
Dubai, UAE
Tel: +971-50-6567526/ +971-4-3626017
Fax: +971-4-3626018

Indonesia

PT. King's Safetywear
Address: Super Block Mega Glodok Kemayoran Office
Tower A Lt.5, Jl. Angkasa Kav.B-6, Kota Baru Bandar
Kemayoran, Jakarta, Indonesia
Tel: +62 21 2664 6888
Fax: +62 21 2664 6889

Germany

Otter Schutz GmbH
Address: Xantener Straße 6,
D-45479 Mülheim an der Ruhr,
Germany
Tel: +49 208 452 0
Fax: +49 208 452 185



Product Of **King's Safetywear Group**

www.kingsafetywear.com

